

TIKA.

ROTILAA

The Roti Maker

CATALOGUE

ROTILAA – AMAZEM.S.



ROTILAA - AMAZE S.S.



THIS IS NEW DESIGN FROM ROTILAA. VERY COMPACT, TABLE TOP MODEL. VERY LIGHT IN WEIGHT. EASY FOR PORTABILITY AND DYNAMIC IN PRODUCTION. ROTI SIZE IS 8" DIA MAXIMUM. THICKNESS CAN BE SET AS PER REQUIREMENT.

THERE ARE TWO MODELS (1) MILD STEEL BODY (2) STAINLESS STEEL BODY IN

M.S. BODY ALL FOOD CONTACT PARTS ARE MADE FROM FOOD GRADE STAINLESS STEEL, WHERE AS IN

FULL STAINLESS STEEL MACHINE IS BODY AS WELL AS FOOD CONTACT PARTS ARE MADE UP OF PURE STAINLESS STEEL.

THIS MACHINE CAN PRODUCE 300 CHAPATI / ROTI PERHOUR.

WORKING ON SINGLE PHASE - 230 VOLTS
GAS FOR ROASTING - LPG OR PNG WORKING ON LOW PRESSURE.
TOTAL WEIGHT IS 51 KGS ONLY.

GAS CONSUMPTION IS – 450 GRMS PER HOUR ELE CONSUMPTION IS 1.5 UNITS PER HOUR SIZE OF MACHINE IS WIDTH - 19"

LENGTH – 38"

HEIGHT - 31"

<u>ROTILAA – EASY ROTI</u>



THIS IS NEW DESIGN FROM ROTILAA. VERY COMPACT, TABLE TOP MODEL. VERY LIGHT IN WEIGHT. EASY FOR PORTABILITY AND DYNAMIC IN PRODUCTION. ROTI SIZE IS 8" DIA MAXIMUM. THICKNESS CAN BE SET AS PER REQUIREMENT.

THERE ARE TWO MODELS (1) MILD STEEL BODY (2) STAINLESS STEEL BODY IN

M.S. BODY ALL FOOD CONTACT PARTS ARE MADE FROM FOOD GRADE STAINLESS STEEL, WHERE AS IN

FULL STAINLESS STEEL MACHINE IS BODY AS WELL AS FOOD CONTACT PARTS ARE MADE UP OF PURE STAINLESS STEEL.


THIS MACHINE CAN PRODUCE 300 CHAPATI / ROTI PERHOUR.

WORKING ON SINGLE PHASE – 230 VOLTS (AVAILABLE FOR 110 VOLTS ALSO)
GAS FOR ROASTING - LPG OR PNG WORKING ON LOW PRESSURE.
TOTAL WEIGHT IS 52 KGS ONLY.

GAS CONSUMPTION IS – 450 GRMS PER HOUR ELE. CONSUMPTION IS 1.5 UNITS PER HOUR SIZE OF MACHINE IS WIDTH - 118"

LENGTH – 36"

HEIGHT - 311"



ROTILAA 450

THIS IS VERY SMALL AND COMPACT MACHINE EVER MADE. IT CAN PRODUCE 450 FULKA ROTI OF 6.5" SIZE. THIS MACHINE HAS FOUR DECKS:

- 1) ALLUMINIUM DISC (ROTATING TAWA)
- ALLUMINIUM DISC (ROTATING TAWA)
- 3) STAINLESS STEEL ROTATING PUFFER GRILL, OPTIONAL IS ALLUMINIUM ROTATING TAWA
- 4) STAINLESS STEEL ROTATING PUFFER GRILL.

HERE, ROTI FLIPS THREE TIMES (TWO TIMES EACH SIDES) FOR PROPER COOKING AND ROASTING, FLAMES OF BURNERS ARE CONTROLABLE FOR CUSTOMISED ROTI MAKING.

THICKNESS OF ROTI CAN BE ADJUSTED, YOU CAN USE PRESSING UNIT FOR DIFFERENT USAGE LIKE PRESSING DOUGH OF:

- A) PURI
- B) BHAKHARI
- C) PURAN POLI
- D) PAROTHA
- E) STUFF PAROTHA

BODY IS FULL STAINLESS STEEL. PRESSING PARTS ARE ALLUMINIUM DULY TREATED FOR LONGER LIFE. GEARED MOTOR IS SILENT AND IT IS 25 WATTS ONLY. GIVES SMOOTH PERFOMANCE FOR COUPLE OF HOURS NON STOP.


ELECTRICAL SAFETY IS PROVIDED. IT IS FULLY SAFE MACHINE. HEATERS ARE MADE FROM ST. STEEL TUBES FOR BEST PERFOMANCE.

GAS CONSUMPTION IS 1.3 KGS /HOUR

POWER CONSUMPTION IS 1.4 UNITS PER HOUR.

WEIGHT OF MACHINE IS 112 KGS

SIZE OF MACHINE IS 26" DIA X42" HEIGHT



ROTILAA 800 PREMIUM

THIS ROTI MACHINE IS MADE OUT OF STAINLESS STEEL, IT HAS GOT TWO ROASTING PLATES AND TWO STAINLESS STEEL PUFFER PLATES AS STANDARD MACHINE, IN OPTION THREE ROASTING PLATES AND ONE PUFFER PLATE ALSO DONE, PUFFER PLATES ARE SO DESIGNED THAT 85 % OF HEAT IS USED TO ROAST ROTI.

ALL ALLUMINIUM ROTATING PLATES ARE ANODISED AND SPECIALY HARDENED FOR LONGER LIFE, MACHINE IS ROUND IN SHAPE AND COVERED FROM ALL SIDES WITH OPENABLE DOORS, DOORS ARE FITTED WITH FIBREGLASS SHEETS TO PROTECT FROM WIND AND HEAT. MACHINE IS MOUNTED ON FOUR HEAVY DUTY LOCKABLE CASTORS FOR EASY MOVEMENTS.

THIS MODEL CAN PRODUCE 800 FULKA ROTI OF 6.5 " DIA. IN ONE HOUR, ROTI REMAIN SOFT AFTER IT IS COOL DOWN.

DIMENSIONS:

DIA - 30", HEIGHT - 42 ",

- WEIGHT 130 KGS.
- POWER CONSUMPTION IS 1, 6 UNITS PER HOUR.
- WORKS ON SINGLE PHASE 230 VOLTS, FOR EXPORT WE HAVE 110 VOLTS SINGLE PHASE MACHINE ALSO AVAILABLE.
- ▶ GAS-LPG, CNG AND PROPANE GAS (FOR U.S.) CAN BE USED.
- ▶ GAS CONSUMPTION IS 1.8 KGS/HOUR
- VERY GOOD FOR HOSTEL CANTEEN, CORPORATE OFFICES, SCHOOLS, RELIGIOUS ORGANISATIOS, CATERERS, RESTAURENTS, ON SHIPS, ETC.





ROTILAA 800 PREMIUM POWER

THIS ROTI MACHINE CAN PRODUCE 800 ROTI UP TO 6.5" DIA: THICKNESS CAN BE SET AS PER REQUIREMENT. YOU HAVE TO FEED DOUGH BALLS ONE BY ONE IN THE MACHINE, IT IS PRESSED AND FLATEN EQUALLY, THEN IT SLIDES ON ROTATATING HOT PLATES - ROASTING ON ONE SIDE; WHILE MOVING FURTHER ROTI, FLIPS TO ANOTHER SIDE AUTOMATICALLY, THIS PROCESS REPEATS FOUR TIMES. THEN READY TO EAT ROTI COMES OUT ONE BYONE.

ROTI REMAIN SOFT AFTER COOLING DOWN.

MACHINE BODY IS MADE. BY STAINLESS STEEL AND ALLUMINIUM ROTATING PLATES ARE TREATED FOR NON STICKING AND HARDNESS FOR LONGER LIFE.

THIS MACHINE IS SPECIALLY MADE FOR KITCHENS WHERE NO NACKED FLAMES ARE ALLOWED IN PREMICES, LIKE IN CORPORATE HOUSES, ON SHIPS, CHEMICAL FACTORIES ETC.

MACHINE DIMENSIONS:

DIA - 30", HEIGHT INCLUDING PRESSING UNIT - 46",

WEIGHT - 130 KGS, INCLUDING PRESSING UNIT


POWER SUPPLY - 440 VOLTS 3 PHASE (FOR INDIA) FOR OVER SEAS DIFFERENT VOLTS. POWER LOAD IS DISTRIBUTED EQUALY IN THREE PHASES.

POWER CONSUMPTION - 14 UNITS PER HOUR

CURRENT - 16 AMP EACH PHASEMAXIMUM

ALL ELECTRICAL SAFETY IS PROVIDED FOR SAFETY, WIRES ARE TEFELON AND SILICON COATED,





ROTILAA - VICTOR

THIS ROTI MACHINE CAN PRODUCE **800 ROTI UP TO 9" DIA**. THICKNESS CAN BE SET AS PER REQUIREMENT, YOU HAVE TO FEED DOUGH BALLS ONE BY ONE IN THE MACHINE, IT IS PRESSED. AND FLATEN EQUALLY, THEN IT SLIDES ON ROTATING HOT PLATES – ROASTING ON ONE SIDE. WHILE MOVING FURTHER ROTI FLIPS TO ANOTHER SIDE AUTOMATICALLY, THIS PROCESS REPEATS THREE TIMES, THEN READY TO EAT ROTI COMES OUT ONE BYONE.

ROTI REMAIN SOFT AFTER COOLING DOWN.

MACHINE BODY IS MADE BY STAINLESS STEEL AND ALLUMINIUM ROTATING PLATES ARE TREATED FOR NON STICKING AND HARDNESS FOR LONGER LIFE. FIRST AND SECOND TAWA ARE SOUD ALLUMINIUM THIRD AND FOURTH ARE PUFFER PLATES. IF ASKED WE CAN MAKE THREE ALLUMINIUM TAWA AND ONE PUFFER PLATE.

THIS MACHINE IS **WORKING ON SINGLE PHASE** POWER SUPPLY. **IN INDIA 220 VOLTS** (AND FOR OVER SEAS AS PER REQUIREMENT OF THAT NATION IT CAN BE MADE)

MACHINE DIMENSIONS:

DIA - 39", HEIGHT INCLUDING PRESSING UNIT - 43";

WEIGHT - 130 KGS. INCLUDING PRESSING UNIT

POWER SUPPLY - 220 VOLTS - SINGLE PHASE (FOR INDIA) FOR OVER SEAS DIFFERENT VOLTS MACHINE AVAILABLE.

POWER CONSUMPTION - 1.8 UNITS PER HOUR

GAS CONSUMPTION - 1.9 KGS PERHOUR

ALL ELECTRICAL INTERNATIONAL SAFETY IS PROVIDED FOR SAFETY. WIRES ARE TEFELON AND SILICON COATED.





ROTILAA -VICTOR - POWER

THIS ROTI MACHINE CAN PRODUCE 800 ROTI UP TO 9" DIA. THICKNESS CAN BE SET AS PER REQUIREMENT, YOU HAVE TO FEED DOUGH BALLS ONE BY ONE IN THE MACHINE, IT IS PRESSED AND FLATEN EQUALLY. THEN IT SLIDES ON ROTATATING HOT PLATES – ROASTING ON ONE SIDE. WHILE MOVING FURTHER ROTI. FLIPS TO ANOTHER SIDE AUTOMATICALLY. THIS PROCESS REPEATS FOUR TIMES. THEN READY TO EAT ROTI COMES OUT ONE BYONE.

ROTI REMAIN SOFT AFTER COOLING DOWN.

MACHINE BODY IS MADE BY STAINLESS STEEL AND ALLUMINIUM ROTATING PLATES ARE TREATED FOR NON STICKING AND HARDNESS FOR LONGER LIFE.

THIS MACHINE IS **WORKING ON THREE PHASE** POWER SUPPLY. **IN INDIA 440 VOLTS**(AND FOR OVER SEAS AS PER REQUIREMENT OF THAT NATION IT CAN BE MADE)

THIS MACHINE IS SPECIALLY MADE FOR KITCHENS WHERE NO NACKED FLAMES ARE ALLOWED IN PREMICES, LIKE IN CORPORATE HOUSES, ON SHIPS, CHEMICAL FACTORIES ETC.

MACHINE DIMENSIONS:

DIA 39", HEIGHT INCLUDING PRESSING UNIT - 43",

WEIGHT - 130 KGS, INCLUDING PRESSING UNIT

POWER SUPPLY - 440 VOLTS - 3 PHASE (FOR INDIA) FOR OVER SEAS DIFFERENT VOLTS

POWER CONSUMPTION - 20 UNITS PER HOUR

CURRENT - 18 AMP EACH PHASE MAXIMUM

ALL ELECTRICAL SAFETY IS PROVIDED FOR SAFETY. WIRES ARE TEFELON AND SILICON COATED.



ROTILAA - THEPLAMATIC

THEPLAMATIC IS ONLY PATENTED MACHINE IN WORLD WHICH CAN APPLY OIL, GHEE, BUTTER (IN LIQUID STATE), ON THEPLA, PAROTHA, STUFF PAROTHA, PURAN POLI, CHAPATI BOTH THE SIDES.

IN THIS MACHINE UNIQUE MECHANISM HELPS TO FLIP PRODUCT AND APPLY OIL ETC ON BOTH THE SIDES. SENSOR SENCES THE PRODUCT AND RELEASES THE OIL ETC AS PER SET QUANTITY.

THIS MAHINE CAN PRODUCE READY TO EAT THEPLA, PAROTHA, STUFF PAROTHA, PURAN POLI 600 PIECES OF 4.5" (165 MM) DIA, THICKNESS CAN BE SET AS PER REQUIREMENT.

MACHINE WORKS ON SINGLE PHASE 230 VOLTS. AND REQUIRES GAS CONNECTION IS EITHER LPG OR CNG (PNG).

POWER COSUMPTION IS 1.5 UNITS PER HOUR AND GAS CONSUMPTION IS 1.2 KG PER HOUR.

BODY MADE FROM STAINLESS STEEL. AND COVERED FROM ALL THE SIDES BY MEANS OF OPENABLE DOORS FOR PROTECTION FROM WIND AND HEAT.

DIMENSION:

DIA - 30", HEIGHT- 42"

WEIGHT- 130 KGS. APPROX.

POWER CONSUMPTION - 1.6 KW PER HOUR

GAS CONSUMPTION - 1.4 KG PER HOUR

VERY GOOD FOR SCHOOL CANTEEN, HOSTEL, ARMY, NAVY, RELIGIOUS ORGANISATION, CORPORATE HOUSE CANTEEN, CATARERS, HOSPITALS, COTTAGE INDUSTRY. ONE CAN START BUSINESS FROM HOME WITH LITTLE AMOUNT.





ROTILAA - THEPLAMATIC VICTOR

"THEPLAMATIC" THIS IS WODERFUL MACHINE FIRST TIME IN THE WORLD.
PATENTED. MACHINE CAN PRODUCE THEPLA(SPICY ROTI), PAROTHA,
STUFFED PAROTHA, PURAN POLI(SWEET – STUFFED ROTI) 800 PCS OF 8.5 "
DIA.IN ONE HOUR.

OIL , GHEE , BUTTER (IN LIQUID FORM) IS APPLIED ON BOTH SIDES AUTOMATICALLY, YOU GET DELICIOUS READY TO EAT PRODUCT. FOR STUFF PAROTHA AND PURAN POULYOU HAVE TO STUFF THEM IN KNEADED ATTA OUR MAIDA AND SHAPE LIKE STUFFED BALL, IT WILL BE READY TO FEED IN MACHINE.

THIS MACHINE IS MADE FROM STAINLESS STEEL AND ONE ROUND STAINLESS STEEL TRAY IS PROVIDED FOR COLLECTION OF OIL AT BOTTOM SIDE.(IF AT ALL IT DRIPS), WE HAVE PUT OIL CONTROL VALVE FOR SETTING QUANTITY IF OIL)

PHOTO SENSOR DETECTS PRODUCT AND GIVES SIGNAL TO SOLENOID VALVE THEN IT RELEASES OIL, GHEE OR BUTTER ON PRODUCT AS PER PRESET QUANTITY, EITHER SIDE.

MACHINE DIMENSIONS:

DIA 39", HEIGHT INCLUDING PRESSING UNIT - 43",

WEIGHT - 130 KGS, INCLUDING PRESSING UNIT

POWER SUPPLY - 230 VOLTS

POWER CONSUMPTION - 1. 6 UNITS PERHOUR

CURRENT - 8 AMP MAXIMUM

GAS TYPES USED - CNG, PNG, PROPANE,

GAS CONSUMPTION - 1, 7 KGS PER HOUR.



ROTILAA 425 VARDHAMAAN

THIS ROTI MACHINE IS VERY STURDY, COMPACT, ECONOMICAL AND USER FRIENDLY. THIS MACHINE CAN PRODUCE 425 ROTI PER HOUR. DEA UP TO 8" (INCHES).THICK NESS CAN BE SET AS PER REQUIREMENT.

BODY MADE FROM STAINLESS STEEL, MOUNTED ON HEAVY DUTY LOCKABLE CASTORS FOR EASY MOVEMENT AND POSITIONING.

USAGE OF GAS AND CAN GIVE MAXIMUM CALARIES OF HEAT OUT PUT.
BURNER BODY IS ALSO MADE FROM STAINLESS STEEL FOR LONGER LIFE.

IN PRESSING UNIT **PLATES ARE PERMENENT**, NEED NOT CHANGE UNLESS AND UNTILL DAMAGED BY MISHANDLING, ALL CHAINS ARE OF STAILESS STEEL FOR LONGER LIFE.

WORKING ON **290 WOLTS, SINGLE PHASE**. ALL WIRES ARE FIRE PROOF. ELECTRICAL SAFETY IS PROVIDED. FOR OTHER COUNTRY DIFFERENT VOLT MACHINE ALSO AVAILABLE.

DIMENSION:

- ▶ SIZE L 38" X B 25" X H 43"
- ▶ WEIGHT 90 KGS APPROX.

POWER CONSUMPTION - 1.4 KW PER HOUR

GAS CONSUMPTION - 1. 4 KGS PER HOUR





ROTILAA 800 MAHAVIR

THIS ROTI MACHINE IS VERY STURDY, COMPACT, ECONOMICAL AND USER FRIENDLY. THIS MACHINE CAN PRODUCE 8000 INCHES HOUR. IN A 11P TO 9" (INCHES). THICK NESS CAN BE SET AS PER REQUIREMENT.

BODY MADE FROM STAINLESS STEEL, MOUNTED ON HEAVY DUTY LOCKABLE CASTORS FOR EASY MOVEMENT AND POSITIONING.

USAGE OF GAS AND CAN GIVE MAXIMUM CALARIES OF HEAT OUT PUT.
BURNER BODY IS ALSO MADE FROM STAINLESS STEEL FOR LONGER LIFE.

IN PRESSING UNIT PLATES ARE PERMEMENT, NEED NOT CHANGE UNLESS AND UNTILL DAMAGED BY MISHANDLING.

WORKING ON 230 VOLTS , SINGLE PHASE THIS IS FOR INDIA FOR OTHER COUNTRIES DIFFERENT VOLT MACHINE ALSO AVAILABLE. ALL WIRES ARE FIRE PROOF, ELECTRICAL SAFETY IS PROVIDED.

DIMENSION:

SIZE - L - 70 " X B - 30" X H - 50"

WEIGHT - 160 KGS - APPROX.

POWER CONSUMPTION - 1.6 KW PER HOUR

GAS CONSUMPTION - 2.5 KGS PERHOUR

ROTILAA - FEAST



RAGI, BAJARI, JOWAR ROTI IS NOW EASY TO MAKE, JUST THIN AS 0.8 MM TO 3 MM THICK YOU CAN SET THICKNESS AS PER YOUR CHOICE. JUST LOAD DOUGH AND YOU CAN GET READY TO EAT MINIMUM 600 ROTI PER HOUR. KADAK OR SOFT ROTI AS YOU WANT.

THERE ARE TWO SEGMENTS IN MACHINE (1) ROLLING UNIT (2)
ROASTING UNIT

- (1) ROLLING UNIT ROLLS. THE DOUGH IN SHEET FORM AND DIE CUTS DOUGH ACCORDING TO SIZE OF DIE FIXED SAY 6" DIA, 7" DIA ,8" DIA AND ROUND CUT PORTION OF DOUGH MOVING ON CONVEYOR SHIFTS ON ANOTHER CONVEYOR WHERE DRY ATTA IS APPLIED ON BOTTOM SIDE OF DOUGH. FROM SECOND CONVEYOR IT SLIDESON OVEN CONVEYOR.
- (2) HERE IT STARTS BAKING, MOVING FURTHER IT FLIPS AND ANOTHER SIDE STARTS BAKING, TIMING OF CONVEYOR AND FLAME BELOW IS SUCH WHICH BAKES ROTI EVENLY, MOVING FURTHER IT FLIPS AGAIN ON FIRST SIDE HERE IT MOVES ON NACKED FLAME SO COMPLETE ROASTING TAKES PLACE.
- BODY OF OVEN IS MADE FROM PURE STAINLESS STEEL ROLLER CHAIN IS ALSO MADE FROM STAIN LESS STEEL. BEARING HOUSINGS ARE STAINLESS STEEL FOR LONGER LIFE. COMPLETE OVEN IS MOUNTED ON FOUR HEAVY DUTY CASTORS.
- ROLLING UNIT IS MADE FROM MILD STEEL BOTH THE SIDES ARE CUT ON LAZER MACHINE FOR ACCURASY, ROLLERS ARE TEFELON COATED. THIS UNIT IS HAVING GEARED MOTOR. SPEED CONTROLLER IS PROVIDED.



ROTILAA MANUAL

THIS IS ALL IN ONE MODEL ONE CAN MAKE FOLLOWING ITEMS READY TO EAT.

- 1) PAROTHA
- 2) STUFFED PAROTHA
- 3) PURAN POLI
- 4) TOMATO OMLET
- 5) UTTAPAM
- 6) DHOSA
- 7) HOT SANDWICH
- 8) PIZZA
- 9) PRESSING UNIT FOR ROTI, (NOT READY TO EAT, YOU HAVE TO PUFF IT)
- THIS MACHINE COMES WITH TWO HOT PLATES AND THICKNESS CAN BE SET FROM 1MM UP TO 55 MM. BOTH THE PLATES ARE TEMP CONTROLLED WITH THERMOSTAT SENSOR. ALL ALLUMINIUM PLATES ARE TREATED FOR FOOD QUALITY (THEY ARE NOT COATED BUT TREATED). NEED NOT CHANGE UNLESS AND UNTILL DAMAGED BY METALIC THINGS.

POWER CONSUMPTION - 1.8 UNITS PER HOUR

IT OPERATES MANUALY (NO MOTOR), BODY IS MILD STEEL PROFILE CUT AND POWDER COATED FOR LONGER PROTACTION FROM WEATHER.





ROTILAA WONDER

THIS MACHINE IS AS NAMED WONDER. THREE MOTORS ARE USED TO PRODUCE EQUAL WEIGHT OF DOUGH PIECES AND ROUNDER ALSO.

- (1) FIRST MOTOR IS FOR SCREW TYPE CONVEYOR
- (2) SECOND MOTOR IS FOR CUTTING DOUGH
- (3) THIRD MOTOR IS FOR ROUNDER

WONDER IS TOTAL OPENABLE FOR PROPER CLEANING, SO EASY TO OPEN AND FIX THAT ANY UNSKILLED PERSON ALSO CAN OPERATE WELL.

MADE BY FOOD GRADE STAINLESS STEEL. ROUNDER IS MADE BY SOLID ALLUMINIUM DULY TREATED FOR FOOD GRADE.

YOU CAN MAKE BESAN LADDU ALSO.

PRODUCTION IS ONE PIECE PER EVERY TWO SECONDS.

WORKING ON 230 VOLTS SINGLE PHASE.



ROTILAA - ROLLER

THIS IS ROLLER TYPE MACHINE. IN THIS MACHINE YOU HAVE TO FEED READY DOUGH. IT IS PRESSED BETWEEN TWO ROLLERS, THICKNESS CAN BE SET ACCORDING TO REQUIREMENT, FLATTEN DOUGH IS CUT BY MEANS OF DYE. AFTER THAT BY MEANS OF CONVEYOR IT MOVES FURTHER AND ON REACHES TO OVEN.

THERE ARE TWO TYPES OF OVEN AVAILABLE FOR ROSTING ROTI. ONE IS ROTATING TAWA AND SECOND IS CONVEYOR TYPE.

ROLLER TYPE MACHINE IS AVAILABLE WITHOUT OVEN ALSO, YOU CAN USE IT AS SHEETER MACHINE.

IT IS WORKING ON 230 VOLTS SINGLE PHASE. SPEED IS VARIABLE, YOU CAN INCREASE OR DECREASE BY MEANS OF KNOB, VERY EASY TO OPERATE.

BODY IS MADE UP OF SOLID MISTEEL PLATES, DULY DESIGN CUT BY MEANS OF LAZOR CUTTING FOR ACCURACY, ROLLERS ARE TEFLON COATED.

POWER CONSUMPTION IS ONE UNIT PER HOUR, 3 PHASE ONE H.P. MOTOR IS USED.

MACHINE IS MOUNTED ON HEAVY DUTY STRUCTURE, IT HAS GOT FOR CASTOR WHEELS FOR EASY MOBILITY.



ROTILAA - HOME MATE

THIS IS WONDERFUL MACHINE SMALLEST IN ITS KIND. HANDY, PORTABLE, EASY TO OPERATE. WEIGHT IS 20 KGS ONLY. COVERED FROM THREE SIDES.

MAXIMUM DIA OF FULKA ROTI 6"

IN THIS MACHINE TORTILA ALSO POSSIBLE.

ROTIPER MIN 3 PCS.

WORKING ON SINGLE PHASE 230 VOLTS.

MOTOR - 6 WATTS.

HEATER INSTALLED ARE TOTAL 2600 WATTS.

POWER CONSUMPTION - PER HOUR - 2.5 UNITS

FULL STAILESS STEEL BODY, MOUNTED ON FOUR CASTOR WHEELS FOR EASY CLEANING BELOW MACHINE.

MACHINE IS EQUIPED WITH INTERNATIONAL SAFETY NORMS.

WITH HEATING CONTROL YOU CAN SET SOFT, MEDIUM AND HEAVY ROASTED ROTI.

YOU HAVE TO DROP DOUGH BALLS ONE BY ONE AND GET READY TO EAT PHULKA

ROTI FOR FAMILY.





ROTILAA - HOME MATE -GAS

THIS IS WONDERFUL MACHINE SMALLEST IN ITS KIND. HANDY, PORTABLE, EASY TO OPERATE.

IN THIS MACHINE WEAT PHULKA ROTI & TORTILA ALSO POSSIBLE

MAXIMUM DIA OF FULKA ROTI 6" (152.4 MM)

ROTI - 3 PCS PER MIN .

WORKING ON ELECTRICITY AND LPG/PNG FOR INDIA & PROPANE(USA)

WORKING ON SINGLE PHASE 230 VOLTS (FOR 110V ALSO AVAILABLE)

MOTOR (GEARED) - 6 WATTS.

TOTALINSTALLED LOAD IS 1206 WATTS.

UNITS PER HOUR - 1 UNIT

GAS CONSUMPTION IS 300 GRAMS PER HOUR.

FULL STAILESS STEEL BODY, EASY CLEANING - IN AND BELOW MACHINE.

MADE AS PER GUIDELINES OF AMERICAN AND EUROPIAN SAFETY STANDARDS.

THICKNESS OF ROTHS PRESET.

SIZE = L - 20" (50.8 CM) \times H - 22" (55.88 CM) \times W - 19" (48.26 CM)

WEIGHT = 26.5 KGS

THIS NON COMMERCIAL MACHINE - ONLY FOR DOMESTIC USE





ROTILAA - PRESSING UNIT:

THIS IS ONLY PRESSING UNIT MADE FROM STAINLESS STEEL LAZER CUTTED PLATES FOR ACCURASY OF THICKNESS. THICKNESS CAN BE SET ADJUSTING BOLTS. PLATES ARE PERMANENT PLATES NEED NOT CHANGE THEM UNLESS AND UNTIL DAMAGE BY OTHER METALIC PARTS.

THERE ARE FIVE MODELS AVAILABLE :

MODEL	MOTOR POWER	WEIGHT	HEATER
1) ROTILAA – 425 P.U. – 8" ROTI	90 WATTS	30 KGS	2000 W
2) ROTILAA – 450 P.U - 6.5" ROTI	25WATTS	22 KGS	2000 W
3) ROTILAA – 600 P.U 6.5" ROTI	25 WATTS	24 KGS	2000 W
4) ROTILAA – 800 P.U 6.5" ROTI	25 WATTS	24 KGS	2000 W
5) ROTILAA - 800 JUMBO P.U. 8" RO	TI 90 WATTS	30 KGS	2000 W

YOU CAN USE IT AS PRESSING UNIT FOR ROTI , PURI, THEPLA, BHAKHARI, PAROTHA- ROUND, TRIANGLE AND SQUARE, STUFFF PAROTHA, LACHHA PAROTHA, PURAN POLI.

SAM CONSULTANCY SERVICES,

PLOT NO: J 809, 3rd PHASE,
GIDC UMBERGAM,
NEXT TO SWAN TARPOULIN,
NEAR GUJARAT KANTA,
GUJRAT – 396171.
Contact - +91 81403 34448, 95126 08880.
Email – samscreation.sv@gmail.com
WEB - www.samscreation.in
YOU TUBE – "ROTILAA" FOR OUR ALL VIDEOS